

- differential absorption lidar. *Journal of Atmospheric Chemistry*, 1994, 19: 259-288.
- [54] Beekmann M, Ancellet G, Martin D, et al. Intercomparison of tropospheric ozone profiles obtained by electrochemical sondes, a ground based lidar and airborne UV-photometer. *Atmospheric Environment*, 1995, 29: 1027-1042.
- [55] Reid S J, Vaughan G, Marsh A R, et al. Intercomparison of Ozone Measurements by ECC Sondes and BENDIX Chemiluminescent analyser. *Journal of Atmospheric Chemistry*, 1996, 25: 215-226.
- [56] Ancellet G, Beekmann M. Evidence for changes in the ozone concentration in the free troposphere over Southern France from 1976 - 1995. *Atmospheric Environment*, 1997, 31: 2835-2851.
- [57] Logan J A. An analysis of ozonesonde data for the troposphere: Recommendations for testing 3-D models and development of a gridded climatology for tropospheric ozone. *Journal of Geophysical Research*, 1999, 104: 16115-16149.
- [58] Smit H, Sträter W. The 2000 WMO international intercomparison of operating procedures for ECC-ozone sondes at the environmental simulation facility at Jülich. WMO Global Atmospheres Watch Report, 158. Geneva: World Meteorological Organization, 2004.
- [59] Smit H, Sträter W. JOSIE-1998 performance of the ECC ozone sondes of SPC-6A and ENSCI-Z type. WMO Global Atmospheres Watch Report, 157. Geneva: World Meteorological Organization, 2004.
- [60] Deshler T, Mercer J, Smit H, et al. Atmospheric comparison of electrochemical cell ozonesondes from different manufacturers, and with different cathode solution strengths: The Balloon Experiment on Standards for Ozonesondes. *Journal of Geophysical Research*, 2008, 113, D04307, doi: 10.1029/2007JD008975.
- [61] Stübi R, Levrat G, Hoegger B, et al. In-flight Comparison of Brewer-Mast and Electrochemical Concentration Cell Ozonesondes. *Journal of Geophysical Research*, 2008, 113, D13302, doi:10.1029/2007JD009091.
- [62] Smit H, Sträter W, Kley D, et al. The evaluation of ECC-ozonesondes under quasi flight conditions in the environmental simulation chamber at Jülich// Eurotrac symposium 1994. Borell P M, et al. Netherlands: The Hague, 1994.
- [63] Thornton D C, Niazly N. Sources of background current in the ECC-ozonesonde: Implication for total ozone measurements. *Journal of Geophysical Research*, 1982, 87: 8943-8950.
- [64] Thornton D C, Niazly N. Effects of solution mass transport on the ECC ozonesonde background current. *Geophysical Research Letters*, 1983, 10: 148-151.
- [65] Vömel H, Diaz K. Ozone Sonde Cell Current Measurements and Implications for Observations of Near-Zero Ozone Concentrations in the Tropical Upper Troposphere. *Atmospheric Measurement Techniques*, 2010, 3(2): 495-505.
- [66] Dietz R N, Pruzansky Smith J D. Effect of pH on the Stoichiometry of the ionmetric determination of ozone. *Analytical Chemistry*, 1973, 45: 402-404.
- [67] Davies J, Tarasick D W, McElroy C T, et al. Evaluation of ECC Ozonesonde Preparation Methods from Laboratory Tests and Field Comparisons during MANTRA// The Quadrennial Ozone Symposium Sapporo, Japan, 2000.
- [68] Saltzman B E, Gilbert N. Iodometric microdetermination of organic oxidants and ozone, resolution of mixtures by kinetic colorimetry. *Analytical Chemistry*, 1959, 31: 1914-1920.
- [69] Komhyr W D. Nonreactive gas sampling pump. *Review of Scientific Instruments*, 1967, 38: 981-983.
- [70] Steinbrecht W, Schwartz R, Claude H. New pump correction for the Brewer Mast ozone sonde: Determination from experiment and instrument intercomparisons. *Journal of Atmospheric and Oceanic Technology*, 1998, 15: 144-156.
- [71] Deshler T, Hofmann D J. Ozone profiles at McMurdo Station, Antarctica, the austral spring of 1990. *Geophysical Research Letters*, 1991, 18: 657-660.
- [72] O'Connor F M, Vaughan G, Murphy G. Box and pump temperature measurements and the possible bias between Science Pump Corporation and ENSCI-type sondes. *Polar stratospheric ozone 1997, EC Air Pollution Report 66*, 1998.
- [73] Schenkel A, Broder B. Interference of some trace gases with ozone measurements by the KI method. *Atmospheric Environment*, 1982, 16: 2187-2190.
- [74] Morris G A, Komhyr W D, Hirokawa J, et al. A balloon sounding technique for measuring SO₂ Plumes. *Journal of Atmospheric and Oceanic Technology*, 2010, 27: 1318-1330.
- [75] De Muer D, De Backer H. Influence of sulfur dioxide trends on Dobson measurements and on electrochemical ozone soundings// SPIE 2047. *Atmospheric Ozone*. Hendriksen T, 1993: 18-26.
- [76] Tarasick D W, Davies J, Anlauf K, et al. Response of ECC and Brewer-Mast ozonesondes to sulfur dioxide interference// Quadrennial Ozone Symposium 2000. The Quadrennial Ozone Symposium Sapporo, Japan, 2000.

新书架

NEW BOOK

 感兴趣的读者可以到中国气象局图书馆查阅




《现代化人工影响天气装备技术概论》

编著者：于子平
出版者：气象出版社
出版年：2014




《冬季大气层温度变化对夏季旱涝形成的影响与预测》

编著者：蔡尔诚
出版者：气象出版社
出版年：2014



Cloud Dynamics (Second Edition)
《云动力学》(第2版)

编著者：Robert A. Houze, Jr.
出版者：Academic Press
出版年：2014



The Asian Monsoon: Causes, History and Effects
《亚洲季风：起因、历史与影响》

编著者：Peter D. Clifton 等
出版者：Cambridge University Press
出版年：2014